

POST OFFICE BOX 215
AMITE, LOUISIANA 70422

OFFICE (985) 748-3211 FAX (985) 748-7576

ROBBY MILLER PARISH PRESIDENT

NOTICE TO BIDDERS

NOTICE IS HEREBY GIVEN THAT SEALED BIDS WILL BE RECEIVED BY THE TANGIPAHOA PARISH GOVERNMENT UNTIL WEDNESDAY, JULY 17, 2019, AT 10:00 A.M. IN THE TPC CHAMBERS, 206 E. MULBERRY STREET, AMITE, LOUISIANA ON THE FOLLOWING:

OVERLAY PROGRAM #2 FY 2019

THEN AND THERE BIDS WILL BE OPENED AND READ ALOUD. BIDS RECEIVED AFTER THE SPECIFIED TIME AND DATE WILL NOT BE OPENED OR RECOGNIZED.

SPECIFICATIONS MAY BE PICKED UP OR REQUESTED BY PHONE AT THE OFFICES OF THE TANGIPAHOA PARISH GOVERNMENT, BETWEEN THE HOURS OF 8:00 A.M. & 4:00 P.M., MONDAY THRU FRIDAY.

TANGIPAHOA PARISH GOVERNMENT BID DOCUMENTS ARE POSTED ON www.centralbidding.com.

A MANDATORY PRE-BID CONFERENCE FOR THIS PROJECT WILL BE HELD AT 10:00 A.M., FRIDAY, JUNE 28, 2019, IN THE TANGIPAHOA PARISH GOVERNMENT ANNEX OFFICE, 206 E MULBERRY STREET, AMITE, LA. 70422.

THE TANGIPAHOA PARISH GOVERNMENT RESERVES THE RIGHT TO REJECT BIDS IN ACCORDANCE WITH THE LAW.

S/DONNA DOMIANO PURCHASING AGENT

DAILY STAR PLEASE PUBLISH JUNE 18, 25, 2019 AND JULY 2, 2019

NOTICE TO BIDDERS

NOTICE IS HERE BY GIVEN THAT SEALED BIDS WILL BE RECEIVED BY THE TANGIPAHOA PARISH GOVERNMENT UNTIL, WEDNESDAY, JULY 17. 2019 IN THE TPC CHAMBERS, COURTHOUSE ANNEX, 206 E. MULBERRY STREET, AMITE, LOUISIANA ON THE FOLLOWING:

Overlay Program #2 FY 2019

THEN AND THERE BIDS WILL BE OPENED AND READ ALOUD. BIDS RECEIVED AFTER THE SPECIFIED TIME AND DATE WILL NOT BE OPENED OR RECOGNIZED.

SPECIFICATIONS MAY BE PICKED UP AT THE OFFICE OF THE TANGIPAHOA PARISH GOVERNMENT BETWEEN THE HOURS OF 8:00 A.M. - 4:00 P.M., MONDAY THROUGH FRIDAY.

A MANDATORY PRE-BID CONFERENCE FOR THIS PROJECT WILL BE HELD AT 10:00 A.M., FRIDAY, JUNE 28, 2019, IN THE TANGIPAHOA PARISH GOVERNMENT ANNEX OFFICE, 206 E. MULBERRY STREET, AMITE, LA 70422.

THE TANGIPAHOA PARISH GOVERNMENT RESERVES THE RIGHT TO REJECT BIDS IN ACCORDANCE WITH LAW.

S/DONNA DOMIANO PURCHASING AGENT

DAILY STAR
PLEASE PUBLISH JUNE 18, 25, 2019
AND JULY 2, 2019

Advertise Date	6/18,25, 2019 7/2/19
Mandatory Pre bid	JUNE 28, 2019
Bid Opening Date	JULY 17, 2019
Ratification By Council	7/22/19
Pre-Construction Meeting	7/29/19
Notice To Proceed	8/12/19
End Date	12/1/19

NOTICE TO CONTRACTORS

SEALED BIDS WILL BE RECEIVED FOR THE CONSTRUCTION OF THIS PROJECT BY THE TANGIPAHOA PARISH GOVERNMENT, COUNCIL CHAMBERS, COURTHOUSE ANNEX BUILDING, P.O. BOX 215, AMITE, LOUISIANA, 70422 (206 EAST MULBERRY STREET, AMITE, LOUISIANA) UNTIL 10:00 A.M. ON WEDNESDAY, JULY 17, 2019 AT WHICH TIME AND PLACE BIDS WILL BE PUBLICLY OPENED AND READ ALOUD. PROPOSALS RECEIVED AFTER SPECIFIED TIME AND DATE WILL NOT BE OPENED OR RECOGNIZED.

THE TANGIPAHOA PARISH GOVERNMENT RESERVES THE RIGHT TO REJECT BIDS IN ACCORDANCE WITH LAW.

CONTRACTING AGENCY:

TANGIPAHOA PARISH GOVERNMENT

PROPOSAL GUARANTY:

5% OF BID PROPOSAL

(See Standard Bid Bond Form)

BIDS SHOULD BE SUBMITTED IN A <u>SEALED ENVELOPE</u> MARKED:

Overlay Program #2 FY 2019
Contractor Name
Contractor License No.

WINNING BIDDER WILL BE REQUIRED TO POST A 50% PERFORMANCE BOND AND A 50% PAYMENT BOND

LOUISIANA UNIFORM PUBLIC WORK BID FORM

TO: Tangipahoa Parish Government

P. O. Box 215, Amite, LA 70422 (Courthouse Annex Building 206 East Mulberry St., Amite) BID FOR: Overlay Progr

Overlay Program #2 FY 2019

The undersigned bidder hereby declares and represents that she/he; a) has carefully examined and understands the Bidding Documents, b) has not received, relied on, or based his bid on any verbal instructions contrary to the Bidding Documents or any addenda, c) has personally inspected and is familiar with the project site, and hereby proposes to provide all labor, materials, tools, appliances and facilities as required to perform, in a workmanlike manner, all work and services for the construction and completion of the referenced project, all in strict accordance with the Bidding Documents prepared by:
Bidders must acknowledge all addenda. The Bidder acknowledges receipt of the following ADDENDA :
No. Dated: No. Dated: No. Dated: No. Dated: No. Dated: Dated:
BASE BID: For all work required by the Bidding Documents (including any and all unit prices but not alternates) the sum of Dollars (\$)
ALTERNATES: For any and all work required by the Bidding Documents for Alternates.
Alternate No. 1 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:
Dollars (\$)
Alternate No. 2 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:
Dollars (\$)
Alternate No. 3 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:
NAME OF BIDDER:
ADDRESS OF BIDDER:
LOUISIANA CONTRACTOR'S LICENSE NUMBER:
NAME OF AUTHORIZED SIGNATORY OF BIDDER:
TITLE OF AUTHORIZED SIGNATORY OF BIDDER:
SIGNATURE OF AUTHORIZED SIGNATORY OF BIDDER*;
DATE:

* If someone other than a corporate officer signs for the Bidder/Contractor, a copy of a corporate resolution or other signature authorization shall be required for submission of bid. Failure to include a copy of the appropriate signature authorization, if required, may result in the rejection of the bid unless bidder has complied with La. R.S. 38:2212(A)(1)(c) or RS 38:2212(O).

BID SECURITY in the form of a bid bond, certified check or cashier's check as prescribed by LA RS 38:2218.A is attached to and made a part of this bid. If a bid bond is provided it shall be on the attached form and only on the attached form.

TO: Tangipahoa Parish Government
P. O. Box 215, Amite, LA 70422
(Courthouse Annex Building
206 East Mulberry St., Amite)

LOUISIANA UNIFORM PUBLIC WORK BID FORM UNIT PRICE FORM

BID FOR: Tangipahoa Parish Government

Overlay Program #2 FY 2019

Otherwise it is not required and need not be included with that may be included is not limited and additional sheets may be included if needed The Unit Price Form shall be used if the contract includes unit prices. the form. The number of unit prices UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents, and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION: SHO	DESCRIPTION: SHOULDER MATERIAL			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity X Unit Price)
203-05	30,382.00	LINEAR FEET		
DESCRIPTION: CLASS 1 6" Thickness A-4 or	A-SS 1 BASE COURSE A-4 or Better			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity X Unit Price)
301-01	100	CUBIC YARDS		
DESCRIPTION: I Course Soil Cement	In Place Stabilized Base 8" Depth 6% Cement	(NORTH OF LA 22)		
	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity X Unit Price)
303-01	6433.00	SQUARE YARDS		
DESCRIPTION: In Place Stabi Cement 12" Depth	DESCRIPTION: In Place Stabilized Base Course Soil Cement 12" Depth 8% Cement	(SOUTH OF LA 22)		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity X Unit Price)
303-01A	1000	SQUARE YARDS		
DESCRIPTION: In Place Cement 12" De	DESCRIPTION: In Place Stabilized Base Course Soil Cement 12" Depth 10% Cement			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity X Unit Price)
303-01B	1000	SQUARE YARDS		
DESCRIPTION: ASI	DESCRIPTION: ASPHALTIC CONCRETE 2" Compacted			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity X Unit Price)
501-01	4084.73	TONS		

The Unit Price Form shall be used if the contract includes unit prices. Otherwise it is not required and need not be included with the form. The number of unit prices—that may be included is not limited and additional sheets may be included if needed. UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents, and described as unit prices. Amounts shall be stated in figures and only in figures.

	UNIT PRICE EXTENSION (Quantity X Unit Price)			UNIT PRICE EXTENSION (Quantity X Unit Price)	NO PAY		UNIT PRICE EXTENSION (Quantity X Unit Price)			UNIT PRICE EXTENSION (QUANTITY X UNIT PRICE)			UNIT PRICE EXTENSION (Quantity X Unit Price)	
	UNIT PRICE			UNIT PRICE			UNIT PRICE			UNIT PRICE			UNIT PRICE	
	UNIT OF MEASURE:	TONS		UNIT OF MEASURE:			UNIT OF MEASURE:	SQUARE YARDS	是 · · · · · · · · · · · · · · · · · · ·	UNIT OF MEASURE	MOB		UNIT OF MEASURE:	MILES
HALTIC CONCRETE	QUANTITY:	325.81	PRIME COAT Provision)	QUANTITY:		COLD PLANING ete 2" (+) or (-)	QUANTITY:	28,190.01	MOBILIZATION	QUANTITY	1	C PAVEMENT STRIPING (4" WIDTH)	QUANTITY:	2.48
DESCRIPTION: ASPHALTIC CONCRETE PATCHING	REF. NO.	501-01P	DESCRIPTION: PRIME COAT (See Special Provision)	REF. NO.	505	DESCRIPTION: COLD PLANING Asphaltic Concrete 2" (+) or (-)	REF. NO.	509-01	DESCRIPTION: MOBILIZATION	REF NO.	727-01	DESCRIPTION: PLASTIC PAVEMENT STRIPING BROKEN LINE (4" WIDTH)	REF. NO.	732-03

All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

BID BOND FOR

Overlay Program #2 FY 2019

Date:		
KNOW ALL MEN BY THESE	PRESENTS:	
That	of	, as Principal, and
, as Surety, are held and firmly bou	and unto the	, as Principal, and Obligee), in the full bid, including all alternates, lawful money of
and just sum of five (5%) percent of	of the total amount of this	s bid, including all alternates, lawful money of
		be made, we bind ourselves, our heirs, d severally firmly by these presents.
executors, administrators, successe	ns and assigns, jointly at	diseverally litting by these presents.
· -		S. Department of the Treasury Financial
		s approved for an amount equal to or greater
9		ent or that it is a Louisiana domiciled insurance the A. M. Best's Key Rating Guide. If surety
		y not exceed ten percent of policyholders'
surplus as shown in the latest A. M.	0.	
Country Court on the country of	41-4 (4 (- 1) 4 4 - 4 - 1-	and the state of t
		isiness in the State of Louisiana and that this id Bond is accompanied by appropriate power
of attorney.	attorney in fact. This B	a Bona is accompanied by appropriate power
•		
		t, whereas said Principal is herewith submitting
its proposal to the Obligee on a Co	intract for <u>Overlay Pr</u>	ogram #2 FY 2019
NOW, THEREFORE, if the	e said Contract be award	ed to the Principal and the Principal shall, within
such time as may be specified, ente	er into the Contract in writ	ing and give a good and sufficient bond to secure
•		t with surety acceptable to the Obligee, then this
obligation shall be void; otherwise	this obligation shall become	ome due and payable.
PRINCIPAL (BIDDER)	SU	RETY
DV:	DV:	
AUTHORIZED OFFICER-C)WNER-PARTNER A	GENT OR ATTORNEY-IN-FACT(SEAL)

STATE OF LOUISIANA

PARISH /COUNTY OF TANGIPAHOA

paris	Before Me, the undersigned authority, duly commissioned and qualified within and for the state and h or county aforesaid, personally came and appeared Who, being by me first duly sworn
depo	sed and said that he or she has read and signed this Affidavit and he/she does hereby attest, under oath, llows:
(1)	That affiant and his or her firm is registered and participates in a status verification system to verify that all employees in the State of Louisiana are legal citizens of the United States or are legal aliens;
(2)	That affiant and his or her firm will continue, during the term of any contract with the Tangipahoa Parish Government, to utilize a status verification system to verify the legal status of all new employees in the State of Louisiana; and
(3)	That affiant and his or her firm will require all subcontractors to submit to them and /or their employer a sworn Affidavit verifying compliance with paragraphs (1) and (2) of this Affidavit.
	Prospective bidder or representative to sign and type or print name below signature.
	Affiant - Signature Print Name
SWC	ORN TO AND SUBSCRIBED BEFORE ME THIS day of, 2019
	NOTARY PUBLIC

AFFIDAVIT

ATTESTATION CLAUSE REQUIRED BY LA. R.S. 38:2227 (PAST CRIMINAL CONVICTIONS OF BIDDERS)

persons authorized by laws of the State to adminis successful bidder before the Award of Contract. T	ter oaths. The original of such sworn st	tatement shall be submitted by the
State Project Number:	(if applicable)	
Name of Project:		
Parish		
	(an individual) (a partnership)	
	(a partnership)	
Certify that:	-	
Appearer, as a Bidder on the above-entitled Public	c Works Project, does hereby attest tha	ıt:
 A. No sole proprietor or individual partner, minimum of a ten percent (10%) ownersh plea of guilty or nolo contendere to any of (a) Public bribery (R.S. 14:118) (b) Corrupt influencing (R.S. 14 B. Within the past five years from the project manager, officer, organizer, or member we named below has been convicted of, or has or equivalent federal crimes, during the sof Chapter 10 of Title 38 of the Louisiana (a) Theft (R.S. 14:67) (b) Identity Theft (R.S. 14:67.16 (c) Theft of a business record (R.S.14:67.20) 	nip in the bidding entity named below he fethe following state crimes or equivaler (c) Extortion (R.S. 14:66) (d) Money launder (d) Money launder (d) Money launder (d) (e) the fether (e) the fethe	nas been convicted of, or has entered a nt federal crimes: ring (R.S. 14:23) dual partner, incorporator, director, 10%) ownership in the bidding entity andere to any of the following state crimes bid awarded pursuant to the provisions
(d) False accounting (R.S. 14:70) (e) Issuing worthless checks (R.S.14:71)	(i) Malfeasance in office (R.S. 14:	
NAME OF BIDDER	NAME OF AUTHO	DRIZED SIGNATORY OF BIDDER
DATE	TITLE OF AUTHORIZED	SIGNATORY BIDDER
WITNESSES:	SIGNATURE OF AUTHOR	RIZED SIGNATORY BIDDER
Parish or county	State of	
Subscribed and sworn to before me the	day of	20
	NOTARY PUBLIC (signature)	NOTARY PUBLIC (printed name)
	NOTARY PUBLIC NUMBER	EXPIRATION

GENERAL BIDDING REQUIREMENTS

Bid security is required and contractors shall be in good standing and licensed with the state of Louisiana. The bid must be properly signed, the proposal completed both in numbers and script, and include bidder's Louisiana License Number.

The LA Revised Statutes require that all public works be governed by criteria as set forth by the LA-DOTD and approved by the Chief Engineer of that Agency. The specifications, contract and bonds governing the construction of all public works are contained in the Louisiana Standard Specifications for Roads and Bridges, 2006 edition, together with any supplementary specifications and special provisions attached to this proposal. All prospective bidders are advised that they must be familiar with these requirements if they desire to bid on any public works. The lack of knowledge in this particular may jeopardize the acceptance of future bids.

The plans herein referred to, if any, are the plans approved and marked with the project name, together with all standard or special designs necessary to illustrate the requirements of the public works.

As a condition of this proposal, the bidder declares that he employs no person, corporation, firm, association or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the bidder whose services in connection with the construction, alteration, or demolition of this project or in securing the public contract were in the regular course of their duties for bidder; and that no part of the contract price received by bidder was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal services in connection with the construction, alteration, or demolition of this project were in the regular course of their duties for bidder; that careful examination has been made of the site of the proposed work, the plans, standard specifications mentioned and the form of contract and contract bond; that the bidder agrees, if this proposal is accepted, to provide all necessary machinery, tools, apparatus, and other means of construction and will do all work and furnish all material specified in the contract, in the manner and time therein prescribed and in accordance with the requirements therein set forth; and agrees to accept as full compensation therefore, the amount of the summation of the products of the quantities of work and material incorporated in the completed project, as determined by the Engineer.

It is understood by the bidder that the quantities given in this proposal are a fair approximation of the amount of work to be done and that the sum of the products of these approximate quantities shall constitute the gross sum bid which sum shall be used in comparison of bids and awarding of the contract. The bidder's attention is directed to the sheet listing the items and bidder is advised that the sums must be entered as directed by the item. The failure to do so may jeopardize the bid. The project estimated cost is \$455,000.00.

The bidder agrees to execute such change orders as are necessary to fulfill the contract; that he will execute the contract and furnish performance and payment bonds in a timely manner.

INSURANCE

The Contractor agrees to obtain and continuously maintain, during the life of this contract, such insurance as will protect the Tangipahoa Parish Government and the Contractor from claims for damages because of bodily injury, including death to his employees and all others; and for claims for damages to property and/or all of which may arise from the contractor's operation by anyone directly or indirectly employed by him.

The insurance to be carried by the contractor, certificates of which are to be furnished to the Tangipahoa Parish Government, is noted as follows:

Workman's Compensation Insurance and Employer's Liability Insurance in amounts sufficient to comply with the laws of Louisiana, including the Jones Act and U.S.L. and Harbor Worker's Compensation.

Comprehensive General Public Liability Insurance in the amount of \$300,000.00 for injury or death of an individual and \$900,000.00 for injury or death of more than an individual in any one occurrence, and Property Damages Insurance with limits of \$300,000.00 for any one occurrence.

Automobile Insurance in the amount of \$300,000.00 for injury or death of one person and \$1,000,000.00 for injury or death of more than one person in any one occurrence and Property Damage Insurance to the extent of \$250,000.00 as an aggregate for each occurrence.

The bidder's attention is directed to the requirements of the certificates. He must furnish that certificate upon bid of any project. Thereafter, he may maintain a file copy with the required update at the office of the Tangipahoa Parish Government. Failure to provide this certificate initially will disqualify the bid.

These requirements are subject to change as state law may be amended and insurance companies adjust their rates. These changes will be made available to all prospective bidders.

PAYMENT ADJUSTMENT

This project is designated for payment adjustment for asphalt cements in accordance with DOTD Standard Specifications - See Special Provision "Pay Adjustment"

109-09 PAYMENT ADJUSTMENT (ASPHALT CEMENTS).

(a) General: Payment for contract items indicated herein will be adjusted to compensate for cost differentials of Performance Graded (PG) asphalt cements, when such costs increase or decrease more than five (5) percent from the Department's established base prices for these items. The base price indices for asphalt cements will be the monthly price indices in effect at the time bids are opened for the project. The base price indices for asphalt cements will be as stated in paragraph (b) below.

Payment adjustments will be made each monthly estimate period when a price index for this period varies more that 5 percent from its respective base price index. The monthly price indices to be used with each monthly estimate will be the price indices for the month in which the estimate period begins.

(b) Performance Graded (PG) Asphalt Cements: The base price index will be the monthly price index in effect at the time of bid opening as shown elsewhere herein. The monthly price indices will be the average, excluding the extreme outliers, of the unit prices for PG 64-22, the average, excluding the extreme outliers, of the unit prices for PG 70-22m, and the average, excluding the extreme outliers, of the unit prices for PG 76-22m. The monthly prices for each of these asphalt materials will be F.O.B. refinery or terminal as determined from the quoted prices effective on the first calendar day of each month from suppliers of these materials. Suppliers considered are those who have requested to participate in the liquid asphalt index determination and have supplied materials on DOTD projects within the past twelve months. These suppliers and materials shall be listed on the Department's Qualified Products List (QPL 41) and must be marketed in Louisiana.

Payment adjustments will be made in accordance with the following formulas:

If Monthly Price Index exceeds Base Price Index, $P = (A-1.05B) \times C \times D \times (1.00 + T)$

If Base Price Index exceeds Monthly Price Index,

 $P = (0.95B - A) \times C \times D \times (1.00 + T)$

Where

P = Price adjustment (increase or decrease) for asphalt cement.

A = Monthly Price Index for respective PG 64-22, PG 70-22m, or PG 76-22m in dollars per ton

B = Base Price Index for respective PG 64-22, PG 70-22m, or PG 76-22m in dollars per ton / megagram.

C = Tons / megagrams of asphaltic concrete.

D = Percent of respective asphalt cement, per job mix formula, in decimals.

T = Louisiana sales tax percentage, in decimals.

(Note: Local tax is not considered)

The engineer will furnish the weights (mass) of asphalt concrete placed during the monthly estimate period with the respective asphalt cement content, excluding the asphalt content in reclaimed asphaltic pavement (RAP) as per job mix formula. If the asphalt cement content changes during the estimate period, the respective weight (mass) of asphaltic concrete produced at each cement content will be reported.

No payment adjustment will be made for other asphalt materials, including emulsions and cutbacks. The base price indices for asphalt cements and fuels will be posted on the DOTD internet website before the 10th calender day of each month. http://www.dotd.louisiana.gov/lettings/lac

SIGNS & BARRICADES

The Contractor will provide adequate signs, barricades, and warning devices to protect the public and his personnel and minimize inconvenience to vehicular traffic. This may include lighting devices at night and during inclement weather to adequately warn of personnel, equipment, materials and/or work sites that are left in a hazardous location or condition. Such signs, barricades and warning devices shall be **appropriately** and **timely** placed before work commences and be **timely** removed when work is completed. The costs incurred in this operation will be reflected in bid items and, of itself, be due no monies. All construction and advance construction signs must be removed within ten (10) days after a section of road overlay is completed. Note: Completion of a road consists of completion of work and installing permanent striping.

UTILITIES

The Contractor will familiarize himself with existing utilities in the areas of his operations and coordinate any removals and/or relocations with the affected utility company and hold the Parish harmless in this regard.

RIGHT-OF-WAY

The Contractor is advised that no additional rights-of-way or servitudes were acquired and will confine his operation and storage of equipment to the existing roadways. The Contractor may make any arrangements with adjacent property owners that he deems necessary without the Parish being a party thereto.

As stated in the Pre-Bid Conference for this Project, this contract may be extended both by quantity and date.

FUND ALLOCATIONS

The Contractor will be paid monthly estimates in accordance with bid items with 5% retainage. Retainage to be paid when project is complete and after a forty-five (45) day lien period. If the costs of the bid items overrun the estimate, the Parish reserves the right to reduce or eliminate items and/or certain roads. The Parish will, however, attach a list of priorities to assist the bidder in preparing his proposal. The roads are listed in priority order and their quantities estimated accordingly. Any changes to be made to the priority list by the contractor must be pre-approved by the Public Works Director or his designee prior to beginning work activities. Any questions concerning this should be directed to the Office of the Tangipahoa Parish Government Public Works Director as soon as possible.

ITEM 203-05 - SHOULDER MATERIAL (BORROW PIT OR EQUAL)

This item should consist of soils as recommended in Item 203.05 and should be placed in areas of shoulders as recommended by Public Works Director or his designee. Not all roadways will need shoulder materials placed. Materials should be compacted and placed to drain into ditches or front slope. Material derived from tight blading shall not serve as a substitute for required shoulder material. Shoulder restoration must be completed within 14 days after each section of road has been overlaid. Rain days will be considered. RAP shall be placed on shoulders approaching and departing all mailboxes where needed. RAP or approved soils shall be placed and compacted on shoulders that has a drop-off of 2 inches in depth or greater. Areas of roadway with drop-offs less than 2 inches with high traffic volumes will be backfilled and compacted on a case by case basis as directed by the Public Works Director or his designee.

ITEM 301-01 - BASE AND / OR SHOULDER MATERIAL A-4 OR BETTER

This item should consist of soils for soil cement base course of materials that will stabilize with cement in accordance with LA-DOTD designations: RT423 - such materials are those soils classified as A-A1, A-1B, A-2-4, A-2-6, A-3, A-4 AND A-6.

NOTE: All Existing Surfaced Roads shall be Cored to Determine Condition of base and sub-base.

ITEM 303-01 & 303-01 A - IN PLACE CEMENT STABILIZED BASE COURSE

This item shall consist of adding A-4 material or better, if needed, scarifying, pulverizing, blending, shaping, and stabilizing all materials to a homogenous texture to a depth as shown on the list of roads with six percent (6%) for item 303(01) and eight percent (8%) for item 303(01)A Portland Cement by volume. The cross slope shall adequately drain and the final profile shall approximate the original. **Surfacing must be applied within 5 days of stabilization or cold planing.** Traffic to be maintained at all times by the Contractor. In the event that a roadway becomes deteriorated due to the contractor failing to complete the road in the specified timeframe, the contractor shall be required to make all necessary repairs to the roadway prior to laying asphalt at no direct cost to the parish. Rain days will be considered on a case by case basis however, the contractor shall resume work immediately after weather events which will include weekend work if necessary. If a road has not been maintained and/or completed in the allotted timeframe not associated with weather conditions; the contractor will automatically be subjected to an assessment of stipulated damages in the amount of \$500.00 per day until the road is completed.

ITEM 501-01 - ASPHALTIC CONCRETE (2" COMPACTED)

Job mix formula to conform to DOTD 2006 Specifications for level A asphalt. The same type will be used throughout the contract. The straight edge is eliminated. Shoulder material will be pulled back to surface when complete. When leveling is required, it will be placed in single lifts. No lifts greater than 2" - 2½" will be placed in any single operation. Ramps will be placed at all turnouts. The depths and widths will be determined by the Director of Public Works or his designee. Aprons will be placed at all driveways at a minimum of three feet (3') from the edge of the road surface and a minimum of five feet (5') from the edge on all turnouts for parish roads. Patching over cross-drains may be required as directed by the Public Works Director or his designee. Patches must be in place at least 5 days prior to Cold Planing. All butt joints must be saw cut at no additional cost.

ASPHALT PRIME COAT (NO DIRECT PAY)

ITEM 502-07A - WEATHER LIMITATIONS

Asphalt materials shall not be applied on a wet surface or when ambient air temperature is less than 50°F in the shade; however, when a road has been cold planed and weather restricts the contractor from completing the roadway, the contractor shall be responsible for maintaining a safe riding surface until the work resumes or road is completed.

ITEM 505-01 - DESCRIPTION

This work consists of preparing and treating a surface with asphalt material in conformance with these specifications and in conformity with lines shown on the plans or established. A Distributor with Prime must be available at all times.

ITEM 505-02 - ASPHALTIC MATERIALS

Prime coat shall be cutback asphalt Grade MC-30, MC-70, or AEP Emulsified Asphalt complying with Section 1002.

ITEM 505-04 - EQUIPMENT

The contractor shall provide the necessary equipment for proper construction of the work. Equipment shall be approved before construction begins and shall be maintained in satisfactory working condition. Equipment shall conform to Subsection 503.14.

ITEM 505-05 - SURFACE PREPARATION

Prime coat must be applied within 24 hours weather permitting.

The surface to be coated shall be shaped to required grade and section, shall be free from ruts, corrugations, segregated material or other irregularities, and shall be compacted to required density. Delays in priming may necessitate reprocessing or reshaping to provide a smooth, compacted surface. A Distributer with Prime must be available at all times.

ITEM 505-06 - APPLICATION

Prime coat shall extend 6 inches (150mm) beyond the width of surfacing shown on the plans. The prime coat shall not be applied until the surface has been satisfactorily prepared and is dry. Prime coat shall be applied at the rates and temperatures shown in Table 505-1. Quantities of prime coat shall not vary from that shown in Table 505-1.

ITEM 505-07 - PROTECTION

After prime coat has been applied it shall cure for a minimum of 24 hours before the surfacing is placed. The contractor shall keep traffic off the surface until the prime coat has properly cured, unless otherwise permitted. If traffic is permitted, the contractor may be required to spread approved granular material, as directed, over the prime coat at no direct pay. The prime coat shall be maintained intact. When required, the primed surface shall be throughly cleaned prior to the placement of surfacing. Where the prime coat has failed, the failed area shall be cleaned and be recoated with prime coat at no direct pay. When the prime coat is generally unsatisfactory, the contractor shall re-prime the unsatisfactory surface at no direct pay.

Table 505-1 Prime Coats

	Applica Gal/Sq Ye	tion Rate d (L/Sq m)	Application Temperature F (C)				
Asphalt Grade	Minimum	Maximum	Minimum	Maximum			
MC-30	0.25 (1.15)	0.30 (1.35)	60 (15)	120 (50)			
MC-70	0.25 (1.15)	0.30 (1.35)	100 (40)	180 (80)			
AEP	0.25 (1.15)	0.30 (1.35)	60 (15)	120 (50)			

ITEM 509-01 -COLD PLANING ASPHALTIC PAVEMENT

Cold planing pavement should be to a depth of 2" + or - depending on surface of roadway and paid for by the square yard. Where feasible all cold planed material shall be premixed into base. Cold planed material that is not used on the job will be 50% retained by the Contractor and 50% transferred to the Parish. RAP placed around mailboxes to be deducted from Parish's portion. The storage sites for the Parish's portion of RAP is located at 106 North Street, Amite, La. 70422 for the north and 44512 W. Pleasant Ridge Road, Hammond, La. 70403 for the south.

ITEM 713-06 - TEMPORARY STRIPING

Color, width and type of temporary pavement marking shall be in accordance with table 713-1 of the MUTCD. Temporary pavement marking shall be in place at the end of each day's operation at no direct pay.

Temporary striping tape shall be applied by approved methods to the satisfaction of the on-site inspector. Temporary pavement markers shall be place as close to the center of the roadway as possible to avoid narrow lanes. Thermoplastic pavement marking shall be applied in accordance with subsection 742.03. Painted traffic striping shall be applied in accordance with section 737.

ITEM 727-01 - MOBILIZATION:

This Work Consists of Preparatory Work and Operations, including those necessary for movement of personnel, equipment, supplies, and incidentals to the project site; The establishment of offices, buildings, and other facilities necessary for work on the project; the cost of bond and any required insurance; and other preconstruction materials.

Mobilization Payment Schedule

Percent of Total Contract Amount	Allowable Percent of the Lump Sum
Earned	Price For Mobilization
1st Partial Estimate	25
10	50
25	75
50	100

Mobilization shall not exceed 10% of the original total contract amount, including this item.

ITEM 732-02 - PLASTIC PAVEMENT STRIPING SOLID LINE

The thermoplastic marking material where required shall be four (4") inches wide and applied in a solid line along the edge of pavement as directed by the Public Works Director or his designee.

ITEM 732-03 - PLASTIC PAVEMENT STRIPING BROKEN LINE

The thermoplastic marking material where required (on roadways 18' or greater in width) four (4") inches in width by ten (10') feet in length is to be placed along road centerline at intervals of forty (40') feet center-to-center unless otherwise directed by the Public Works Director or his designee.

General Notes

STIPULATED DAMAGES

If a road has not been maintained and/or completed in the allotted timeframe not associated with weather conditions or excusable delays, the contractor will automatically be subjected to an assessment of stipulated damages in the amount of \$500.00 per day and per road until the road is completed.

Tangipahoa Parish Overlay Program #2 FY 2019
Quantity Summary

		10	10		თ	o ·		4	Dist					
Totals for Project	Totals	N. Seventh St	Barringer Rd	Totals	Tuttle Rd.	Regency Ave.	Totals	Old Mc Michael Rd	ROAD NAME					
1	I	Barringer Rd.	Hwy 51		Pumpkin Center Rd. Perkins Nickens	Bankston Rd	T-June	LA 1054	То					
		LA 22	N. Seventh St.		Perkins Nickens	Regency Ave.	ı	End	From					
		3072,00	3000,00		4285.00	2757,00		2077.00	Length(ft)					
2.88	1.15	0.58	0:57	1.33	0.81	0.52	0.39	0.39	Length(ft) Length(mi) Width(ft)					
		20	20		18	20		14	Width(ft)					
31420.90	13493.34	6826.67	6666.67	14696.67	8570.00	6126.67	3230.89	3230.89	SQ Yards					
									SQ Yards	and/or turnarounds	tumouts, cul de sacs.	Square vards for	Additional	
30382.00	12144.00	6144,00	6000.00	14084.00	8570.00	5514.00	4154.00	4154,00	Lin, Ft.	Material	Shoulder		203 - 05	Item No
									Cubic Yards	Naterial orbetter	Material A-4	Sub-Base	301 - 01	Item No
6433.00	0.00			6433.00		6433.00	0.00		SQ Yards	6% Cement	8" Depth	Base Soil Cement	303 - 01	Item No
									SQ Yards	8% Cement	12" Depth	Soil Cement	303-01 A	Item No
									SQ Yards	10% Cement	12" Depth	Soil Cement	303-01 B	Item No
4084.73	1754.14	887.47	866,67	1910.57	1114.10	796.47	420.02	420.02	Tons	Concrete	Asphaltic		501-01	Item No
325.81	7.28		7.28	161.37	161.37		157.16	157,16	Tons	Patching	Concrete	Asphaltic	501-01 P	Item No
28190.01	13493.34	6826.67	6666.67	14696.67	8570.00	6126.67	0.00		"+ or • SQ Yard"	Concrete 2"	Asphaltic	Planing	509-01	Item No
2.48	1.15	0.58	0.57	1.33	0.81	0.52	0.00		Miles	(Broken)	Striping	Plastic	732-03	Item No