



**{vars[project\_title]}**  
**{vars[category]}**

Project documents obtained from [www.CentralBidding.com](http://www.CentralBidding.com)  
07-Nov-2019 03:23:02 PM

POST OFFICE BOX 215  
AMITE, LOUISIANA 70422



OFFICE (985) 748-3211  
FAX (985) 748-7576

**ROBBY MILLER**  
PARISH PRESIDENT

### NOTICE TO BIDDERS

NOTICE IS HEREBY GIVEN THAT SEALED BIDS WILL BE RECEIVED BY THE TANGIPAHOA PARISH GOVERNMENT UNTIL THURSDAY, DECEMBER 12, 2019, AT 10:00 A.M. IN THE TPC CHAMBERS, 206 E. MULBERRY STREET, AMITE, LOUISIANA ON THE FOLLOWING:

WASHED GRAVEL  
HEAVY RED CLAY  
CORRUGATED METAL CULVERTS  
BRIDGE MATERIALS  
JANITORIAL SUPPLY  
STEEL SLAG

HOT MIX & COLD MIX  
FILLED DIRT & SAND  
SIGN POST  
FUEL  
PIEST CONTROL

THEN AND THERE BIDS WILL BE OPENED AND READ ALOUD. BIDS RECEIVED AFTER THE SPECIFIED TIME AND DATE WILL NOT BE OPENED OR RECOGNIZED.

SPECIFICATIONS MAY BE PICKED UP OR REQUESTED BY PHONE AT THE OFFICES OF THE TANGIPAHOA PARISH GOVERNMENT, BETWEEN THE HOURS OF 8:00 A.M. & 4:00 P.M., MONDAY THRU FRIDAY.

TANGIPAHOA PARISH GOVERNMENT BID DOCUMENTS ARE POSTED ON [www.centralbidding.com](http://www.centralbidding.com).

THE TANGIPAHOA PARISH GOVERNMENT RESERVES THE RIGHT TO REJECT BIDS IN ACCORDANCE WITH THE LAW.

S/DONNA DOMIANO  
PURCHASING AGENT

DAILY STAR  
PLEASE PUBLISH NOVEMBER 12, 19, & 26, 2019

---

### COUNCIL

TRENT FORREST  
DISTRICT 1  
EMILE "JOEY" MAYEAUX  
DISTRICT 6

JAMES BAILEY  
DISTRICT 2  
LIONELL WELLS  
DISTRICT 7

LOUIS "NICK" JOSEPH  
DISTRICT 3  
DAVID P. VIAL  
DISTRICT 8

CARLO S. BRUNO  
DISTRICT 4  
HARRY LAVINE  
DISTRICT 9

H. G. "BUDDY" RIDGEL  
DISTRICT 5  
BOBBY CORTEZ  
DISTRICT 10

TYPE D Mixture-Alternate 2: The binder shall be an asphalt emulsion and meet the following specification requirements:

Physical Properties:

	<u>Minimum</u>	<u>Maximum</u>
1) Flash Point, Tag Open Cup-----	200F.	
2) Residue by Distillation, % by Weight-----	80.0	90.0
3) Viscosity, Saybolt Furol @ 140F, sec-----	100	Pumpable
4) *Stone Coating Text A-----	90.0	

Test on Residue from Distillation to 500F:

1) Oil Distillate, %, ASTM-----	4.0	
2) Kinematic Viscosity @ 140F (No. 7 Tube)-----	500	8,000
3) Solubility in Trichlororoethylene-----	98.0	

Stone Coating Text A

- 1) Weigh 200.0g dry aggregate (Agg. to be used on project) into a beaker.
- 2) Weigh 4.0g tap water into the beaker containing the dry aggregate and mix for 30 seconds.
- 3) Weight 10.0g of eight Pave Magic or Patch Magic into the beaker containing the damp aggregate and mix vigorously for 120 seconds.
- 4) Dump contents of beaker onto suitable surface and visually check coating of aggregate. There shall be no evidence of asphalt run-off.

TANGIPAHOA PARISH GOVERNMENT

BID OPENING DECEMBER 12, 2019

LIMESTONE BASE COLD MIX

\*\*\*\*\*CONTRACT SHALL BE FOR A PERIOD OF ONE (1) YEAR, BEGINNING JANUARY 1, 2020 AND ENDING DECEMBER 31, 2020.\*\*\*\*\*

BIDDER: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

PHONE No. \_\_\_\_\_

TYPE D MIXTURE – ALTERNATE 2: \_\_\_\_\_ PER TON DELIVERED.

SIGNATURE: \_\_\_\_\_

DATE: \_\_\_\_\_